

# WARRANTY CARD


DATE OF PURCHASE	
SHIPPING ADDRESS	
SIGNATURE / STAMP	
DAMAGE DESCRIPTION	
SERVICE COMMENTS	

FILL IN IF NEEDED  
(\* ) Cross incorrect  
I agree to pay the cost of inverter repair due to:  
\* expiration of the warranty period / \* warranty void

Before proceeding with the repair, service will inform by phone about the exact costs of the repair.  
Please attach a copy of the purchase document (receipt or invoice) to the complaint.  
The full regulations of service repairs can be found on our website [www.voltpolska.pl](http://www.voltpolska.pl)

### Proper disposal of the product (waste electrical and electronic equipment)

The marking placed on the product or in the texts related to it indicates that it should not be disposed of with other household waste at the end of its useful life. To avoid harmful effects to the environment and human health from uncontrolled disposal, please separate this product from other types of waste and recycle responsibly to promote the reuse of material resources as a continuing practice. For information on where and how to recycle this product in an environmentally safe manner, residential users should contact the retailer where they purchased the product, or their local government authority. Business users should contact their supplier and check the terms and conditions of their purchase contract. The product should not be disposed of with other commercial waste.



# PRODUCT MANUAL

version 2024-03-01

## AC. AUTOMATIC VOLTAGE REGULATOR

AVR 1000 2000 3000  
5000 i 10 000 8% SLIM



VOLT POLSKA Sp. z o.o.  
ul. Świebrowska 3  
81-877 Sopot  
[www.voltpolska.pl](http://www.voltpolska.pl)

## Caution


- Avoid overloading  
Do not use the regulator beyond its maximum power capacity.
- When connected to any appliance with built-in motor compressor, the starting power is generally several times of the appliance's listed power rating. Make sure that the total starting power capacity of all connected appliance does not exceed the listed maximum output power capacity of the regulator. For color TV set, calculate it twice as its listed capacity.
- Make sure that the regulator is of the same output voltage and frequency as the appliance's it connected.
- Make sure that the voltage of electrical source is within the listed input voltage range of the regulator.
- Always place the regulator in an environment that is:
  - well ventilated.
  - not exposed to direct sunlight or heat source.
  - out of reach from children.
  - away from water, moisture, oil or grease.
  - away from any flammable substance.

## TIME DELAY

## INPUT VOLTAGE DISPLAY


## UNUSUAL

## OVERHEAT DISPLAY




## COMBINED FLASHING FOR PROTECTION ACTIVATED DISPLAY



- Over voltage + unusual both flashing for high voltage protection;
- Under voltage + unusual both flashing for low voltage protection;
- Overload + unusual both flashing for overloading protection;
- Overheat + unusual both flashing for high temperature protection;



**REMARK:** Input plugs and output sockets could be changed as request.  
Please operate refer to the practicality.





**REMARK:** Input plugs and output sockets could be changed as request.  
Please operate refer to the practicality.



## Technology Parameter

Capacity		500VA	1000VA	1500VA	2000VA	3000VA	5000VA	8000VA	10000VA
Input	Voltage Range	140Vac~260Vac							
	Frequency	50Hz/60Hz							
Output	Voltage	230V							
	Precision	±8%							
Delay time		6S/180S							
Protection	High Voltage Protection	Yes							
	Low Voltage Protection	Yes							
	Overload Protection	Yes							
	High Temperature Protection	Yes							
	Circuit Protection	Circuit Breaker							

THE REGULATOR'S MAXIMUM OUTPUT POWER  
WILL CHANGE AS THE DIAGRAM SHOWN BELOW.



MAKE SURE THAT THE TOTAL LOAD POWER  
DOES NOT EXCEED THE LISTED MAXIMUM  
OUTPUT POWER OF THE REGULATOR.

★ Specification are subjected to change without prior notice.