OPTI ECO S 25 60/180 5 45W 52 L/MIN CIRCULATING PUMP

REGULAR RANGE

PRODUCT CODE
3ZPSPB256B

EAN
5903293765852

CATEGORY
Home and garden

SUBCATEGORY
OPTI ECO circulating pumps

PRODUCT PAGE
voltpolska.pl/produkty/opti-eco-s-25-60180-5-45w-pompa-obi...



ABOUT THE PRODUCT

The energy-efficient electronic circulating pump OPTI ECO S 25-60/180 (5-45W) is designed to force circulation in heating systems. It can be used in single-- and two-pipe systems as well as in underfloor heating systems.

The pump is equipped with a permanent-magnet motor and a differential pressure controller that automatically and continuously adjusts its capacity to the actual requirements of the system. Three-speed control enables the capacity and pressure parameters to be adjusted to the user's requirements.

The control panel is located on top of the motor, facilitating operation of the device. The current electrical power consumption is displayed on the dial. The pump offers quiet operation, an energy-saving night mode and a self--venting function.

TECHNICAL SPECIFICATIONS

Electrical specifications	**Energy class and power**	5-45 W
	Supply voltage	230 V, -10%÷+6%, 50 Hz
Operating features and construction	**Relative humidity**	95%
	Sound pressure level	Less than 43 dB
	Ambient temperature	0ºC ÷ +40ºC
	Fluid temperature	+2ºC ÷ +100ºC
	Maximum operating pressure	10 bar
	IP rating	IP44
Dimensions and logistics	**Dimensions**	130x96x157 mm
	Net weight	2,02 kg

PRODUCT GALLERY













PRODUCT GALLERY - CONTINUED





VOLT POLSKA Sp. z o.o.

ul. Świemirowska 3, 81-877 Sopot

NIP 5851458032 | REGON 221142660

KRS 0000372066

voltpolska.pl

(58) 500-85-62

hurt@voltpolska.pl

pomoc@voltpolska.pl

This datasheet was generated automatically; technical data and images are for reference only and may change without notice. To the extent permitted by law, VOLT POLSKA accepts no liability for any errors or inaccuracies in this datasheet.