# HEX-GEN 4000 DUAL FUEL 230V GENERATOR / POWER GENERATOR

LIMITED DISTRIBUTION

PRODUCT CODE
**6GEN4000A2**

EAN
**5904100453382**

CATEGORY
**Emergency power supply**

SUBCATEGORY
**HEX-GEN power generators (voltage generators)**

PRODUCT PAGE
**voltpolska.pl/produkty/hex-gen-4000-dual-fuel-230v-generato...**



## ABOUT THE PRODUCT

HEX-GEN 4000 DUAL FUEL 230V GENERATOR / POWER GENERATOR is an alternative source of electrical energy for powering electronic devices. It supports two types of fuel: petrol and LPG. It is suitable for use in workshops, at campsites and construction sites, on boats, as well as in cars, trucks, motorhomes, tractors, and on boats and yachts.

The device is equipped with a 1--cylinder, 4--stroke, air-cooled engine with a displacement of 210 cm3 and a maximum power output of 7 HP. The generator's continuous power output is 3000 W, while its total instantaneous power output is 4000 VA. Voltage stabilisation is provided by an AVR stabiliser, while the generator's copper winding ensures construction appropriate for the intended use of the device.

The generator has 2 230 V output sockets, a fuel-level indicator, a voltmeter, and an automatic circuit breaker protecting the output circuit. It is also equipped with low-oil-level warning indicators and overload protection. The engine is started manually using a starter with a TCI ignition system.

The construction is mounted on vibration-absorbing mounts and equipped with a muffler. The generator has carrying handles, a fuel tank with a capacity of ~12 L, and an oil tank with a capacity of ~0,6 L. The maximum continuous operating time is 9 hours.

## TECHNICAL SPECIFICATIONS

| | | |
|---|---|---|
| **Generator and Power Parameters** | **Rated power (continuous)** | 3000W |
| | **Total power (instantaneous)** | 4000VA |
| | **Output voltage** | 230 VAC |
| | **Output frequency** | 50 Hz |
| | **Generator winding** | Copper |
| | **Voltage stabiliser** | AVR |

**VOLT POLSKA Sp. z o.o.**

ul. Świemirowska 3, 81-877 Sopot
NIP 5851458032 | REGON 221142660
KRS 0000372066

voltpolska.pl
(58) 500-85-62
hurt@voltpolska.pl
pomoc@voltpolska.pl



GENERATED: 2026-10-30 16:11

## TECHNICAL SPECIFICATIONS - CONTINUED

| | | |
|---|---|---|
| **Engine Parameters** | **Engine displacement** | 210 cm3 |
| | **Maximum engine power** | 7 HP / 3600 rpm (7 HP) |
| | **Ignition** | TCI |
| | **Fuel tank capacity** | ~ 12 L |
| | **Engine oil tank capacity** | ~ 0,6 L |
| **Operating and Physical Data** | **Maximum continuous operating time** | 9 hours |
| | **Noise level** | 68 - 72 dB(A) |
| | **Device dimensions** | 605 x 440 x 435 mm |
| | **Net weight** | 41,5 kg |

## PRODUCT GALLERY












**VOLT POLSKA Sp. z o.o.**

ul. Świemirowska 3, 81-877 Sopot
NIP 5851458032 | REGON 221142660
KRS 0000372066

voltpolska.pl
(58) 500-85-62
hurt@voltpolska.pl
pomoc@voltpolska.pl

## PRODUCT GALLERY - CONTINUED






**VOLT POLSKA Sp. z o.o.**

ul. Świemirowska 3, 81-877 Sopot

NIP 5851458032 | REGON 221142660

KRS 0000372066

voltpolska.pl

(58) 500-85-62

hurt@voltpolska.pl

pomoc@voltpolska.pl



This datasheet was generated automatically; technical data and images are for reference only and may change without notice. To the extent permitted by law, VOLT POLSKA accepts no liability for any errors or inaccuracies in this datasheet.